

Sample Date	Batch Date	Sample Time	Instantaneous Water Temperature (°F)	Water Velocity (ft/sec)	Instantaneous Turbidity (ntu)	Instantaneous Electrical Conductivity (µS)	Instantaneous Dissolved Oxygen (mg/L)
12/01/2022	12/01/2022	08:29 AM	48.9	1.9	3.13	229	10.33
12/01/2022	12/02/2022	04:00 PM	49	1.1	2.51	226	10.65
12/01/2022	12/02/2022	08:15 PM					
12/02/2022	12/02/2022	08:33 AM	46.1	1.9	1.43	238	10.53
12/05/2022	12/05/2022	10:00 AM	51.3	2.3	1.37	256	10.58
12/05/2022	12/06/2022	05:54 PM	52.3	1.5	1.72	255	10.86
12/06/2022	12/06/2022	08:45 AM	50.9	3	1.7	286	9.8
12/06/2022	12/07/2022	05:54 PM	51.6	1.5	2.37	289	10.81
12/07/2022	12/07/2022	08:30 AM	48	2.5	1.36	304	10.15
12/08/2022	12/08/2022	08:30 AM	46.7	3.1	1.2	283	10.62
12/08/2022	12/09/2022	06:00 PM	48.9	3.3	2.7	270	11.47
12/09/2022	12/09/2022	08:30 AM	49.1	2.2	1.18	248	11.27
12/12/2022	12/12/2022	08:30 AM	50.1	3.7	14.63	182.3	10.31
12/13/2022	12/13/2022	08:47 AM	45.7	2.6	6.24	207	11.6
12/14/2022	12/14/2022	08:37 AM	44.7	2.7		227	11.62
12/15/2022	12/15/2022	08:30 AM	44.5	2.6	3.54	238	11.87
12/16/2022	12/16/2022	08:00 PM	43.5	1.9	4.3	303	12.22
12/19/2022	12/19/2022	08:15 AM				83.7	
12/20/2022	12/20/2022	08:25 AM	45	2.1	1.87	254	12.44
12/21/2022	12/21/2022	08:30 AM	45.6	2.1	2.5	248	12.17
12/22/2022	12/22/2022	08:29 AM	45.9	1.9	3.02	236	12.07
12/23/2022	12/23/2022	08:10 AM	45	2	3.98	220	12.1
12/26/2022	12/26/2022	08:21 AM	47.6	1.7	3.73	225	11.11
12/26/2022	12/27/2022	08:45 PM	49.1	1.9	2.47	219	11.34
12/27/2022	12/27/2022	08:45 AM	49.6	3.7	27.3	219	10.39
12/28/2022	12/28/2022	05:20 PM	51.6	3.3	16.85	151.8	11.76
12/29/2022	12/29/2022	08:19 AM	48.9	4.1		155.9	11.28
12/29/2022	12/30/2022	05:45 PM	50.7	3.1	41.1	183.1	10.89

12/30/2022	12/30/2022	08:19 AM	49.6	7.4	50.3	90.4	11.37
------------	------------	----------	------	-----	------	------	-------